

SHUTTERS MB-SUNSHADES



MB-SUNSHADES

SHUTTERS



MB-SUNSHADES provide an excellent solar shading and give the external wall its characteristic appearance. The solution consists of a frame with diagonally arranged slats or panels. Made of aluminium, the components are highly resistant to weather conditions and do not require any renovation work during years, which distinguishes them from structures built with PVC or timber. Frame profiles are slim and light, but of an appropriate stiffness, which allows to fabricate both curtains for windows and patio doors.

Aluprof's shutters are an option for those who look for practical yet aesthetic solutions. The shutters can be colour-matched with external walls or windows or used simply as a remarkable accent on the wall. Given the ample possibilities offered by the technology of decorative and protective coatings made on aluminium, the **MB-SUNSHADES** are perfect for use in various types of construction: traditional buildings will successfully call for structures with timber-like texture, whereas in modern homes, there may be preferred a colour combination of a structure with muted colours, identical to those of the windows, especially impressive when windows and doors are made of aluminium.



Shutters by ALUPROF Protecting and **Embellishing** Your Home


Functionality and good appearance




Technical details:

Sash depth	32 mm
Infill profiles depth	50 mm
Infill profiles distance	every 45 mm
Maximum dimensions	1,200 x 2,500 mm


Vertical view



Paneled shutter, vertical view



Possible configurations





Making Your Home Exceptional

MB-SUNSHADES - a unique visual effect and an effective sun protection

Wide range of colours - all RAL, ATEC and ADEC wood-like colours available


Lightweight and resistant structure, with the infill of your choice: aluminium slats or aluminium panel

Maximum dimensions of the shutters: 1.2m x 2.5m, which allows to use them not only in standard window openings but also in door's

The hinges available in the system allow to use different solutions when in closed position: they can be jutting out, flushed in line, or placed deeper in the window recess



ALUPROF S.A. Bielsko Biata, Poland
ul. Warszawska 153, 43-300 Bielsko Biata
tel. +48 33 81 95 300, fax +48 33 82 20 512



**GK**
Grupa Kęty

www.aluprof.eu